



PCT

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/511,480

DATE: 10/26/2004

TIME: 18:02:21

Input Set : A:\P28268PC.ST25.txt

Output Set: N:\CRF4\10262004\J511480.raw

3 <110> APPLICANT: Medical Research Council
 5 <120> TITLE OF INVENTION: Treatment Methods
 7 <130> FILE REFERENCE: ARDW/P28268PC
 C--> 9 <140> CURRENT APPLICATION NUMBER: US/10/511,480
 C--> 10 <141> CURRENT FILING DATE: 2004-10-15
 12 <150> PRIOR APPLICATION NUMBER: GB 0208785.6
 13 <151> PRIOR FILING DATE: 2002-04-17
 15 <160> NUMBER OF SEQ ID NOS: 20
 17 <170> SOFTWARE: PatentIn version 3.1

Does Not Comply
Corrected Diskette Needed

(pg.1)

ERRORED SEQUENCES

305 <210> SEQ ID NO: 20
 306 <211> LENGTH: 22
 307 <212> TYPE: DNA
 308 <213> ORGANISM: Artificial
 310 <220> FEATURE:
 311 <223> OTHER INFORMATION: Human ribosomal 18S PCR probe
 313 <400> SEQUENCE: 20
 314 tgctggcacc agacttgccc tc
 E--> 317 1
 E--> 320 1

22

Deleted

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/10/511,480

DATE: 10/26/2004
TIME: 18:02:22

Input Set : A:\P28268PC.ST25.txt
Output Set: N:\CRF4\10262004\J511480.raw

Invalid <213> Response:

Use of "Artificial" only as "<213> Organism" response is incomplete,
per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

Seq#:5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20

VERIFICATION SUMMARY

DATE: 10/26/2004

PATENT APPLICATION: US/10/511,480

TIME: 18:02:22

Input Set : A:\P28268PC.ST25.txt

Output Set: N:\CRF4\10262004\J511480.raw

L:9 M:270 C: Current Application Number differs, Replaced Current Application Number
L:10 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:216 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:13
L:220 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:13,Line#:218
L:235 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:14
L:239 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:14,Line#:237
L:317 M:254 E: No. of Bases conflict, this line has no nucleotides. ✓
M:254 Repeated in SeqNo=20